

Logging with applevel=2

NOTE: Log file opened at Thu, 9 Aug 2007 09:54:30.117

1 The SAS System 09:54 Thursday, August 9, 2007

NOTE: Unable to open SASUSER.PROFILE. WORK.PROFILE will be opened instead.

NOTE: All profile changes will be lost at the end of the session.

NOTE: Copyright (c) 2002-2003 by SAS Institute Inc., Cary, NC, USA.

NOTE: SAS (r) 9.1 (TS1M3)

Licensed to XXXXXXXXXXXXXXXXXXXX, Site xxxxxxxxxxxxxxx.

NOTE: This session is executing on the WIN_ASRV platform.

NOTE: SAS 9.1.3 Service Pack 4

NOTE: SAS initialization used:

real time 0.34 seconds
cpu time 0.17 seconds

NOTE: AUTOEXEC processing beginning; file is C:\SAS\Lev1\SASMain\appserver_autoexec.sas.

NOTE: AUTOEXEC processing completed.

```
20070809:09.54.30.49: 00000025: Inherited client connection (2) for user na\leefulto. Encryption level is Credentials
using encryption algorithm SASProprietary. Peer IP address and port are 10.1.38.92:3633.
20070809:09.54.30.63: 00000002: :: IOM LOG: NOTE: Copyright (c) 2002-2003 by SAS Institute Inc., Cary, NC, USA.
20070809:09.54.30.63: 00000002: :: IOM LOG: NOTE: SAS (r) 9.1 (TS1M3)
20070809:09.54.30.63: 00000002: :: IOM LOG: Licensed to XXXXXXXXXXXXXXXXXXXX, Site xxxxxxxxxxxx.
20070809:09.54.30.63: 00000002: :: IOM LOG: NOTE: This session is executing on the WIN_ASRV platform.
20070809:09.54.30.63: 00000002: :: IOM LOG:
20070809:09.54.30.63: 00000002: :: IOM LOG:
20070809:09.54.30.63: 00000002: :: IOM LOG:
20070809:09.54.30.63: 00000002: :: IOM LOG: NOTE: SAS 9.1.3 Service Pack 4
20070809:09.54.30.63: 00000002: :: IOM LOG:
20070809:09.54.30.63: 00000002: :: IOM LOG: NOTE: SAS Initialization used (Total process time):
20070809:09.54.30.63: 00000002: :: IOM LOG: real time 0.00 seconds
20070809:09.54.30.63: 00000002: :: IOM LOG: cpu time 0.00 seconds
20070809:09.54.30.63: 00000002: :: IOM LOG:
20070809:09.54.30.80: 00000002: :: IOM LOG: 1 /* ----- */
20070809:09.54.30.80: 00000002: :: IOM LOG: 2 /* Check format search path to see if it's the default value
20070809:09.54.30.80: 00000002: :: IOM LOG: 3 If so, then we'll add EGTASK and SASUSER so that user-defined
formats
20070809:09.54.30.88: 00000002: :: IOM LOG: 4 will work when created with the Create Format task
20070809:09.54.30.88: 00000002: :: IOM LOG: 5 If FMTSEARCH is already different from the supplied default,
20070809:09.54.30.88: 00000002: :: IOM LOG: 6 Create Format task might place new formats in a library that won't
be searched */
20070809:09.54.30.88: 00000002: :: IOM LOG: 7 /* ----- */
20070809:09.54.30.88: 00000002: :: IOM LOG: 8 %macro checkfmt;
20070809:09.54.30.88: 00000002: :: IOM LOG: 9 %if %UPCASE(%sysfunc(getoption(fmtsearch))) eq (WORK LIBRARY) %then
20070809:09.54.30.88: 00000002: :: IOM LOG: 10 OPTIONS FMTSEARCH=(WORK LIBRARY EGTASK SASUSER);
20070809:09.54.30.88: 00000002: :: IOM LOG: 11 %mend checkfmt;
20070809:09.54.30.90: 00000002: :: IOM LOG: 12 %checkfmt;
20070809:09.54.30.90: 00000002: :: IOM LOG: 13
20070809:09.54.30.90: 00000002: :: IOM LOG: 14 /* ----- */
20070809:09.54.30.90: 00000002: :: IOM LOG: 15 /* Determine SAS service pack level, if any */
20070809:09.54.30.90: 00000002: :: IOM LOG: 16 /* Store result in &_SASSPLEVEL global macro var */
20070809:09.54.30.90: 00000002: :: IOM LOG: 17 /* ----- */
20070809:09.54.30.90: 00000002: :: IOM LOG: 18 %global _SASSPLEVEL;
20070809:09.54.30.90: 00000002: :: IOM LOG: 19 %macro checkhotfix();
20070809:09.54.30.90: 00000002: :: IOM LOG: 20 %let hfavail=%sysfunc(tslvl(uwuhotfi));
```

2 The SAS System 09:54 Thursday, August 9, 2007

```
20070809:09.54.30.90: 00000002: :: IOM LOG: 21 %if (%sysfunc(index(&hfavail,TS)) > 0) %then
20070809:09.54.30.90: 00000002: :: IOM LOG: 22 %let _SASSPLEVEL=%sysfunc(hotfix());
20070809:09.54.30.90: 00000002: :: IOM LOG: 23 %else
20070809:09.54.30.90: 00000002: :: IOM LOG: 24 %let _SASSPLEVEL=None;
20070809:09.54.30.90: 00000002: :: IOM LOG: 25 %mend;
20070809:09.54.30.90: 00000002: :: IOM LOG: 26 %checkhotfix;
```

Author: Fulton Lee

Date: Aug. 9, 07

```

20070809:09.54.30.90: 00000002:      :: IOM LOG: 27
20070809:09.54.30.90: 00000002:      :: IOM LOG: 28
20070809:09.54.30.90: 00000002:      :: IOM LOG: 29
20070809:09.54.30.90: 00000002:      :: IOM LOG: 30      /* Data access options to allow opening data when we can't find
formats */
20070809:09.54.30.90: 00000002:      :: IOM LOG: 31      /* and for data sets with column names that are long or contain
special characters */
20070809:09.54.30.90: 00000002:      :: IOM LOG: 32      options nofmterr;
20070809:09.54.30.90: 00000002:      :: IOM LOG: WARNING: Only Base procedures and SAS/STAT procedures have been tested for use
with VALIDVARNAME=ANY. Other use of this option is
20070809:09.54.30.90: 00000002:      :: IOM LOG:      considered experimental and may cause undetected errors.
20070809:09.54.30.90: 00000002:      :: IOM LOG: 33      options validvarname = any;
20070809:09.54.30.90: 00000002:      :: IOM LOG: 34      run;quit;
20070809:09.54.31.60: 00000002:      :: IOM LOG: 1
                                09:54 Thursday, August 9, 2007
                                The SAS System
20070809:09.54.31.62: 00000002:      :: IOM LOG:
20070809:09.54.31.62: 00000002:      :: IOM LOG: 35      OPTIONS NOSYNTAXCHECK;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 36
20070809:09.54.31.62: 00000002:      :: IOM LOG: 37      %LET _EGUSERID = %NRBQUOTE(leefulto);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 38      %LET _EGUSERNAME = %NRBQUOTE(Lee, Fulton);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 39      %LET _EGMACHINE = %NRBQUOTE(WM200KTBSW10JK2);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 40      %LET _EGVERSIONL = %NRBQUOTE(4.1.0.0);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 41
20070809:09.54.31.62: 00000002:      :: IOM LOG: 42      %LET _EGSERVERNAME = %NRBQUOTE(SASMain);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 43      %LET _EGHOSTNAME = %NRBQUOTE(wmbce-m2-dev08.na.corp.cibcwm.com);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 44
20070809:09.54.31.62: 00000002:      :: IOM LOG: 45      %LET _CLIENTUSERID = %NRBQUOTE(leefulto);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 46      %LET _CLIENTUSERNAME = %NRBQUOTE(Lee, Fulton);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 47      %LET _CLIENTMACHINE = %NRBQUOTE(WM200KTBSW10JK2);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 48      %LET _CLIENTVERSION = %NRBQUOTE(4.1.0.0);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 49      %LET _CLIENTAPP = %NRBQUOTE(SAS Enterprise Guide);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 50
20070809:09.54.31.62: 00000002:      :: IOM LOG: 51      %LET _SASSERVERNAME = %NRBQUOTE(SASMain);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 52      %LET _SASHOSTNAME = %NRBQUOTE(wmbce-m2-dev08.na.corp.cibcwm.com);
20070809:09.54.31.62: 00000002:      :: IOM LOG: 53
20070809:09.54.31.62: 00000002:      :: IOM LOG: 54      /*-----*/
20070809:09.54.31.62: 00000002:      :: IOM LOG: 55      /* Copyright (c) 2005 by SAS Institute Inc, Cary NC 27512 USA      */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 56      /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 57      /* This file contains SAS code that will be submitted to a SAS */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 58      /* server whenever a new SAS session is established from */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 59      /* within Enterprise Guide. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 60      /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 61      /* DO NOT EDIT this file unless you are sure of the changes */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 62      /* that you are making. Inappropriate changes to this file */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 63      /* might result in SAS errors during your Enterprise Guide */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 64      /* session. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 65      /*-----*/
20070809:09.54.31.62: 00000002:      :: IOM LOG: 66
20070809:09.54.31.62: 00000002:      :: IOM LOG: 67      /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 68      /* MACRO: enterpriseguide */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 69      /* PURPOSE: define a macro variable */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 70      /* that contains the file system */

3                                The SAS System                                09:54 Thursday, August 9, 2007

20070809:09.54.31.62: 00000002:      :: IOM LOG: 71      /* path of the WORK library on the */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 72      /* server. Note that different */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 73      /* logic is needed depending on the */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 74      /* server type. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 75      /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 76      %macro enterpriseguide;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 77      %global sasworklocation;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 78      %if &sysscp=OS %then %do; /* MVS Server */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 79          %if %sysfunc(getoption(filesystem))=MVS %then %do;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 80          /* By default, physical file name will be considered a
classic MVS data set. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 81          /* Construct dsn that will be unique for each concurrent
session under a particular account: */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 82          filename egtemp '&egtemp' disp=(new,delete); /* create a temporary
data set */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 83          %let tempdsn=%sysfunc(pathname(egtemp)); /* get dsn */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 84          filename egtemp clear; /* get rid of data set - we only wanted its name
*/
20070809:09.54.31.62: 00000002:      :: IOM LOG: 85          %let unique_dsn="EGTEMP.%substr(&tempdsn, 1, 16).PDSE";
20070809:09.54.31.62: 00000002:      :: IOM LOG: 86          filename egtmpdir &unique_dsn
20070809:09.54.31.62: 00000002:      :: IOM LOG: 87          disp=(new,delete,delete) space=(cyl,(5,5,50))

```

```

20070809:09.54.31.62: 00000002:      :: IOM LOG: 88                dsorg=po dsntype=library recfm=vb
20070809:09.54.31.62: 00000002:      :: IOM LOG: 89                lrecl=8000 blksize=8004 ;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 90                options fileext=ignore ;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 91                %end;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 92                %else %do;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 2                The SAS System
                                09:54 Thursday, August 9, 2007
20070809:09.54.31.62: 00000002:      :: IOM LOG:
20070809:09.54.31.62: 00000002:      :: IOM LOG: 93                /*
20070809:09.54.31.62: 00000002:      :: IOM LOG: 94                By default, physical file name will be considered an HFS
20070809:09.54.31.62: 00000002:      :: IOM LOG: 95                (hierarchical file system) file.
20070809:09.54.31.62: 00000002:      :: IOM LOG: 96                Note: This does NOT support users who do not have an HFS home
directory.
20070809:09.54.31.62: 00000002:      :: IOM LOG: 97                It also may not support multiple simultaneous sessions under the
same account.
20070809:09.54.31.62: 00000002:      :: IOM LOG: 98                */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 99                filename egtmpdir './';
20070809:09.54.31.62: 00000002:      :: IOM LOG: 100               %end;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 101               %let path=%sysfunc(pathname(egtmpdir));
20070809:09.54.31.62: 00000002:      :: IOM LOG: 102               %let sasworklocation=%sysfunc(quote(&path));
20070809:09.54.31.62: 00000002:      :: IOM LOG: 103               %end; /* MVS Server */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 104               %else %do;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 105               %let sasworklocation = "%sysfunc(getoption(work))";
20070809:09.54.31.62: 00000002:      :: IOM LOG: 106               %end;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 107               %if &sysssc=VMS_AXP %then %do; /* Alpha VMS server */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 108               %let sasworklocation = "%sysfunc(getoption(work))";
20070809:09.54.31.62: 00000002:      :: IOM LOG: 109               %end;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 110               %if &sysssc=CMS %then %do;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 111               %let path = %sysfunc(getoption(work));
20070809:09.54.31.62: 00000002:      :: IOM LOG: 112               %let sasworklocation = "%substr(&path, %index(&path, %str( )))";
20070809:09.54.31.62: 00000002:      :: IOM LOG: 113               %end;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 114               %mend enterpriseguide;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 115
20070809:09.54.31.62: 00000002:      :: IOM LOG: 116               %enterpriseguide
20070809:09.54.31.62: 00000002:      :: IOM LOG: 117               /* EGAuto.sas */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 118
20070809:09.54.31.62: 00000002:      :: IOM LOG: 119               /* ----- */

```

4 The SAS System 09:54 Thursday, August 9, 2007

```

20070809:09.54.31.62: 00000002:      :: IOM LOG: 120               /* OPTION: FORMCHAR */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 121               /* PURPOSE: use simple ASCII line */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 122               /* chars for text plots */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 123               /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 124               OPTIONS FORMCHAR="|----|+|---+=|~\<>";
20070809:09.54.31.62: 00000002:      :: IOM LOG: 125
20070809:09.54.31.62: 00000002:      :: IOM LOG: 126               /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 127               /* OPTION; */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 128               /* PURPOSE: Turn off overprint for */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 129               /* log and listing output. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 130               /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 131               OPTIONS NOOVP;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 132
20070809:09.54.31.62: 00000002:      :: IOM LOG: 133               /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 134               /* TITLE; */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 135               /* PURPOSE: Clear the default title. */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 136               /* ----- */
20070809:09.54.31.62: 00000002:      :: IOM LOG: 137               TITLE;
20070809:09.54.31.62: 00000002:      :: IOM LOG: 138
20070809:09.54.31.63: 00000002:      :: IOM LOG: 139               /* ----- */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 140               /* Make sure LISTING really closes */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 141               /* for 8.2 servers. */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 142               /* ----- */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 143               ODS LISTING CLOSE;
20070809:09.54.31.63: 00000002:      :: IOM LOG: 144
20070809:09.54.31.63: 00000002:      :: IOM LOG: 145
20070809:09.54.31.63: 00000002:      :: IOM LOG: 146               /* ----- */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 147               /* These two functions, eclibassign and eclibunassign, are intended */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 148               /* to be used when establishing or clearing LIBREFs on an OS/390 server. */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 149               /* They check the state of the LIBREF before actually defining or clearing */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 150               /* the library. They use the LIBNAME function to do the work. */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 3                The SAS System
                                09:54 Thursday, August 9, 2007
20070809:09.54.31.63: 00000002:      :: IOM LOG:
20070809:09.54.31.63: 00000002:      :: IOM LOG: 151               /* ----- */
20070809:09.54.31.63: 00000002:      :: IOM LOG: 152               %macro eclibassign(libtoassign, libpath, libeng, libopt);

```

```

20070809:09.54.31.63: 00000002: :: IOM LOG: 153 %local success;
20070809:09.54.31.63: 00000002: :: IOM LOG: 154 %if "&libopt" ne "" %then
20070809:09.54.31.63: 00000002: :: IOM LOG: 155 %let success = %sysfunc(libname(&libtoassign, &libpath, &libeng,
&libopt));
20070809:09.54.31.63: 00000002: :: IOM LOG: 156 %else %if "&libeng" ne "" %then
20070809:09.54.31.63: 00000002: :: IOM LOG: 157 %let success = %sysfunc(libname(&libtoassign, &libpath, &libeng));
20070809:09.54.31.63: 00000002: :: IOM LOG: 158 %else
20070809:09.54.31.63: 00000002: :: IOM LOG: 159 %let success = %sysfunc(libname(&libtoassign, &libpath));
20070809:09.54.31.63: 00000002: :: IOM LOG: 160
20070809:09.54.31.63: 00000002: :: IOM LOG: 161 %if %eval(&success > 0) %then
20070809:09.54.31.63: 00000002: :: IOM LOG: 162 %put WARNING: Libref &libtoassign could not be assigned;
20070809:09.54.31.63: 00000002: :: IOM LOG: 163 %else
20070809:09.54.31.63: 00000002: :: IOM LOG: 164 %put NOTE: Libref &libtoassign was successfully assigned;
20070809:09.54.31.63: 00000002: :: IOM LOG: 165 %mend;
20070809:09.54.31.63: 00000002: :: IOM LOG: 166
20070809:09.54.31.63: 00000002: :: IOM LOG: 167

5 The SAS System 09:54 Thursday, August 9, 2007

20070809:09.54.31.63: 00000002: :: IOM LOG: 168 /* free the library if it is currently assigned */
20070809:09.54.31.63: 00000002: :: IOM LOG: 169 %macro eclibunassign(libtofree);
20070809:09.54.31.63: 00000002: :: IOM LOG: 170 %if %sysfunc(libname(&libtofree)) ne 0 %then
20070809:09.54.31.63: 00000002: :: IOM LOG: 171 %put WARNING: Libref &libtofree could not be unassigned;
20070809:09.54.31.63: 00000002: :: IOM LOG: 172 %else
20070809:09.54.31.63: 00000002: :: IOM LOG: 173 %put NOTE: Libref &libtofree has been unassigned;
20070809:09.54.31.63: 00000002: :: IOM LOG: 174 %mend;
20070809:09.54.31.63: 00000002: :: IOM LOG: 175
20070809:09.54.31.63: 00000002: :: IOM LOG: 176
20070809:09.54.31.63: 00000002: :: IOM LOG: 177 /* ----- */
20070809:09.54.31.63: 00000002: :: IOM LOG: 178 /* DATA step to determine whether certain products */
20070809:09.54.31.63: 00000002: :: IOM LOG: 179 /* are licensed/installed. */
20070809:09.54.31.63: 00000002: :: IOM LOG: 180 /* ----- */
20070809:09.54.31.63: 00000002: :: IOM LOG: 181
20070809:09.54.31.65: 00000002: :: IOM LOG: 182 data _prodsavail;
20070809:09.54.31.65: 00000002: :: IOM LOG: 183 length name $ 8 fullname $ 30 prodcode $ 10 prodmod $ 10 installed $ 12;
20070809:09.54.31.65: 00000002: :: IOM LOG: 184 input fullname 1-30 name 32-39 prodcode prodmod;
20070809:09.54.31.65: 00000002: :: IOM LOG: 185 licensed=sysprod(prodcode);
20070809:09.54.31.65: 00000002: :: IOM LOG: 186 installed = tslvl(prodmod);
20070809:09.54.31.65: 00000002: :: IOM LOG: 187 cards;
20070809:09.54.31.65: 00000002: :: IOM LOG:
20070809:09.54.31.66: 00000002: :: IOM LOG: NOTE: Argument 1 to function TSLVL at line 186 column 15 is invalid.
20070809:09.54.31.66: 00000002: :: IOM LOG: RULE: ----+---1-----2-----3-----4-----5-----6-----7-----8-----9-----0
20070809:09.54.31.66: 00000002: :: IOM LOG: 191 SAS/GIS GIS prodnum28 sasgis
20070809:09.54.31.66: 00000002: :: IOM LOG: name=GIS fullname=SAS/GIS prodcode=prodnum28 prodmod=sasgis installed=
licensed=0 _ERROR_=1 _N_=4
20070809:09.54.31.66: 00000002: :: IOM LOG: NOTE: Argument 1 to function TSLVL at line 186 column 15 is invalid.
20070809:09.54.31.66: 00000002: :: IOM LOG: 193 SAS/QC QC qc sascapab
20070809:09.54.31.66: 00000002: :: IOM LOG: name=QC fullname=SAS/QC prodcode=qc prodmod=sascapab installed= licensed=0
_ERROR_=1 _N_=6
20070809:09.54.31.66: 00000002: :: IOM LOG: NOTE: The data set WORK._PRODSAVAIL has 6 observations and 6 variables.
20070809:09.54.31.68: 00000002: :: IOM LOG: NOTE: DATA statement used (Total process time):
20070809:09.54.31.68: 00000002: :: IOM LOG: real time 0.03 seconds
20070809:09.54.31.68: 00000002: :: IOM LOG: cpu time 0.01 seconds
20070809:09.54.31.68: 00000002: :: IOM LOG:
20070809:09.54.31.68: 00000002: :: IOM LOG:
20070809:09.54.31.68: 00000002: :: IOM LOG: 194 ;
20070809:09.54.31.68: 00000002: :: IOM LOG: 195 run;
20070809:09.54.31.68: 00000002: :: IOM LOG: 196
20070809:09.54.31.68: 00000002: :: IOM LOG: 197 /* ----- */
20070809:09.54.31.68: 00000002: :: IOM LOG: 198 /* Macro that conditionally submits the ACCESSIBLE */
20070809:09.54.31.68: 00000002: :: IOM LOG: 199 /* option for GOPTIONS. When this option is used, */
20070809:09.54.31.68: 00000002: :: IOM LOG: 200 /* ODS HTML output that contains graphs will also */
20070809:09.54.31.68: 00000002: :: IOM LOG: 4 The SAS System
09:54 Thursday, August 9, 2007
20070809:09.54.31.68: 00000002: :: IOM LOG:
20070809:09.54.31.68: 00000002: :: IOM LOG: 201 /* include additional data to describe the contents of */
20070809:09.54.31.68: 00000002: :: IOM LOG: 202 /* the graph. */
20070809:09.54.31.68: 00000002: :: IOM LOG: 203 /* The GOPTIONS ACCESSIBLE option is not available in */
20070809:09.54.31.68: 00000002: :: IOM LOG: 204 /* SAS versions prior to 9.1.3. */
20070809:09.54.31.68: 00000002: :: IOM LOG: 205 /* If you are connecting to a version of SAS that */
20070809:09.54.31.68: 00000002: :: IOM LOG: 206 /* supports ACCESSIBLE, then you can include this */
20070809:09.54.31.68: 00000002: :: IOM LOG: 207 /* macro call as a preface to your task/program code: */
20070809:09.54.31.68: 00000002: :: IOM LOG: 208 /* */
20070809:09.54.31.68: 00000002: :: IOM LOG: 209 /* %gaccessible; */
20070809:09.54.31.68: 00000002: :: IOM LOG: 210 /* */

```

```
20070809:09.54.31.68: 00000002: :: IOM LOG: 211 /* You can do this automatically with settings in */
20070809:09.54.31.68: 00000002: :: IOM LOG: 212 /* Tools->Options. */
20070809:09.54.31.68: 00000002: :: IOM LOG: 213 /* ----- */
20070809:09.54.31.68: 00000002: :: IOM LOG: 214 %macro gaccessible;
20070809:09.54.31.68: 00000002: :: IOM LOG: 215 %local accessible;
20070809:09.54.31.68: 00000002: :: IOM LOG: 216 %local graphavail;
20070809:09.54.31.68: 00000002: :: IOM LOG: 217 %if %SCAN(&SYSVLONG, 1, %STR(.)) ne 8 %then %do;
20070809:09.54.31.68: 00000002: :: IOM LOG: 218 %let graphavail=%sysfunc(tslvl(sasgchart));
20070809:09.54.31.68: 00000002: :: IOM LOG: 219 %if (%sysfunc(index(&graphavail,TS)) > 0) %then %do;
20070809:09.54.31.68: 00000002: :: IOM LOG: 220 %let accessible=%sysfunc(getoption(accessible));
20070809:09.54.31.68: 00000002: :: IOM LOG: 221 %if (&accessible^=%str()) %then %do;
20070809:09.54.31.68: 00000002: :: IOM LOG: 222 GOPTIONS ACCESSIBLE;
20070809:09.54.31.68: 00000002: :: IOM LOG: 223 %end;
20070809:09.54.31.68: 00000002: :: IOM LOG: 224 %end;
20070809:09.54.31.68: 00000002: :: IOM LOG: 225 %end;
20070809:09.54.31.68: 00000002: :: IOM LOG: 226 %mend;
20070809:09.54.31.68: 00000002: :: IOM LOG: 227
20070809:09.54.31.68: 00000002: :: IOM LOG: 228
20070809:09.54.31.68: 00000002: :: IOM LOG: 229
20070809:09.54.31.68: 00000002: :: IOM LOG: 230 /* Conditionally delete a table or view, if it exists */
20070809:09.54.31.68: 00000002: :: IOM LOG: 231 /* If the member does not exist, then no action is performed */
20070809:09.54.31.68: 00000002: :: IOM LOG: 232 %macro _eg_conditional_dropds(dsname);
20070809:09.54.31.68: 00000002: :: IOM LOG: 233 %if %SYSFUNC(EXIST(&dsname)) %THEN %DO;
20070809:09.54.31.68: 00000002: :: IOM LOG: 234 PROC SQL;
20070809:09.54.31.68: 00000002: :: IOM LOG: 235 DROP TABLE &dsname;
20070809:09.54.31.68: 00000002: :: IOM LOG: 236 QUIT;
20070809:09.54.31.68: 00000002: :: IOM LOG: 237 %END;
20070809:09.54.31.68: 00000002: :: IOM LOG: 238 %if %SYSFUNC(EXIST(&dsname,VIEW)) %THEN %DO;
20070809:09.54.31.68: 00000002: :: IOM LOG: 239 PROC SQL;
20070809:09.54.31.68: 00000002: :: IOM LOG: 240 DROP VIEW &dsname;
20070809:09.54.31.68: 00000002: :: IOM LOG: 241 QUIT;
20070809:09.54.31.68: 00000002: :: IOM LOG: 242 %END;
20070809:09.54.31.68: 00000002: :: IOM LOG: 243 %mend _eg_conditional_dropds;
20070809:09.54.31.68: 00000002: :: IOM LOG: 244
20070809:09.54.31.85: 00000002: :: IOM LOG: 1 The SAS System
```

09:54 Thursday, August 9, 2007

```
20070809:09.54.31.85: 00000002: :: IOM LOG:
20070809:09.54.31.85: 00000002: :: IOM LOG:
20070809:09.54.31.90: 00000002: :: IOM LOG: 1 ;*!;*;/quit;run;
20070809:09.54.31.91: 00000002: :: IOM LOG: 2 OPTIONS PAGENO=MIN;
20070809:09.54.31.91: 00000002: :: IOM LOG: 3 %LET _CLIENTTASKLABEL=%NRBQUOTE(Code);
20070809:09.54.31.91: 00000002: :: IOM LOG: 4 %LET _EGTASKLABEL=%NRBQUOTE(Code);
20070809:09.54.31.91: 00000002: :: IOM LOG: 5 %LET _CLIENTPROJECTNAME=%NRBQUOTE();
20070809:09.54.31.91: 00000002: :: IOM LOG: 6 %LET _SASPROGRAMFILE=;
20070809:09.54.31.91: 00000002: :: IOM LOG: 7
20070809:09.54.31.91: 00000002: :: IOM LOG: 8 ODS _ALL_ CLOSE;
20070809:09.54.31.91: 00000002: :: IOM LOG: NOTE: Some of your options or statements may not be supported with the Activex
or Java series of devices. Graph defaults for these
20070809:09.54.31.91: 00000002: :: IOM LOG: drivers may be different from other SAS/GRAPH device drivers. For
further information, please contact Technical Support.
20070809:09.54.31.91: 00000002: :: IOM LOG: 9 OPTIONS DEV=ACTIVEX;
20070809:09.54.31.91: 00000002: :: IOM LOG: 10 FILENAME EGHTML TEMP;
20070809:09.54.31.98: 00000002: :: IOM LOG: NOTE: Writing HTML(EGHTML) Body file: EGHTML
20070809:09.54.31.99: 00000002: :: IOM LOG: 11 ODS HTML(ID=EGHTML) FILE=EGHTML ENCODING='utf-8' STYLE=EGDefault
20070809:09.54.31.99: 00000002: :: IOM LOG: 11 !
STYLESHEET=(URL="file:///C:/Program%20Files/SAS/Shared%20Files/BIClientStyles/EGDefault.css")
20070809:09.54.31.99: 00000002: :: IOM LOG: 11 !
ATTRIBUTES=("CODEBASE"="http://www2.sas.com/codebase/graph/v91/sasgraph.exe") NOGTITLE NOGFOOTNOTE GPATH=&sasworklocation
```

```
20070809:09.54.31.99: 00000002: :: IOM LOG: 11 !;
20070809:09.54.31.99: 00000002: :: IOM LOG: 12
20070809:09.54.31.99: 00000002: :: IOM LOG: 13 %gaccessible;
20070809:09.54.32.10: 00000002: :: IOM LOG: 14 proc setinit;
20070809:09.54.32.10: 00000002: :: IOM LOG: 15 run;
20070809:09.54.32.10: 00000002: :: IOM LOG:
20070809:09.54.32.10: 00000002: :: IOM LOG: NOTE: PROCEDURE SETINIT used (Total process time):
20070809:09.54.32.10: 00000002: :: IOM LOG: real time 0.00 seconds
20070809:09.54.32.10: 00000002: :: IOM LOG: cpu time 0.00 seconds
20070809:09.54.32.10: 00000002: :: IOM LOG:
20070809:09.54.32.10: 00000002: :: IOM LOG: Original site validation data
20070809:09.54.32.10: 00000002: :: IOM LOG: Site name: 'XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX'
```

```

20070809:09.54.32.10: 00000002: :: IOM LOG: Site number: xxxxxxxxxx.
20070809:09.54.32.10: 00000002: :: IOM LOG: Expiration: 14DEC2007.
20070809:09.54.32.10: 00000002: :: IOM LOG: Grace Period: 30 days (ending 13JAN2008).
20070809:09.54.32.10: 00000002: :: IOM LOG: Warning Period: 30 days (ending 12FEB2008).
20070809:09.54.32.10: 00000002: :: IOM LOG: System birthday: 14FEB2007.
20070809:09.54.32.10: 00000002: :: IOM LOG: Operating System: WIN_NTSV.
20070809:09.54.32.10: 00000002: :: IOM LOG: Product expiration dates:
20070809:09.54.32.10: 00000002: :: IOM LOG: ---Base Product 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/STAT 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/GRAPH 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/ETS 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/FSP 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/OR 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/AF 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/IML 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/SHARE 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/CONNECT 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/INSIGHT 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/EIS 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/SHARE*NET 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS Risk Management 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS OLAP Server 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS Enterprise Miner 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/IntrNet 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS Risk Management-Enterprise Edition 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---External function linking system 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---MDDDB Server common products 29APR2007

```

```

8 The SAS System 09:54 Thursday, August 9, 2007

```

```

20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS Integration Technologies 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/Secure Windows 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: 2 The SAS System
09:54 Thursday, August 9, 2007
20070809:09.54.32.10: 00000002: :: IOM LOG:
20070809:09.54.32.10: 00000002: :: IOM LOG: ---Enterprise Miner Server 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---Enterprise Miner Thin Client 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS Credit Scoring 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---Unused OLAP Slot 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---Risk Dimensions Product 4 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---OR OPT 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---OR PRS 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---OR IVS 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---OR LSO 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/ACCESS Interface to ORACLE 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/ACCESS Interface to PC Files 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---SAS/ACCESS Interface to ODBC 14DEC2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---PRODNUM509 29APR2007
20070809:09.54.32.10: 00000002: :: IOM LOG: ---PRODNUM531 29NOV2007
20070809:09.54.32.12: 00000002: :: IOM LOG:
20070809:09.54.32.12: 00000002: :: IOM LOG: 16
20070809:09.54.32.12: 00000002: :: IOM LOG: 17
20070809:09.54.32.12: 00000002: :: IOM LOG: 18 %LET _CLIENTTASKLABEL=;
20070809:09.54.32.12: 00000002: :: IOM LOG: 19 %LET _EGTASKLABEL=;
20070809:09.54.32.12: 00000002: :: IOM LOG: 20 %LET _CLIENTPROJECTNAME=;
20070809:09.54.32.12: 00000002: :: IOM LOG: 21 %LET _SASPROGRAMFILE=;
20070809:09.54.32.20: 00000002: :: IOM LOG: 22
20070809:09.54.32.20: 00000002: :: IOM LOG: 23 ;*;*;*;/quit;run;
20070809:09.54.32.20: 00000002: :: IOM LOG: 24 ODS _ALL_ CLOSE;
20070809:09.54.32.20: 00000002: :: IOM LOG: 25
20070809:09.54.32.20: 00000002: :: IOM LOG: 26
20070809:09.54.32.20: 00000002: :: IOM LOG: 27 QUIT; RUN;
20070809:09.54.32.20: 00000002: :: IOM LOG: 28
20070809:09.55.42.32: 00000005: Client connection (2) closed.
NOTE: The SAS System used:
real time 1:12.28
cpu time 0.60 seconds

```

Reference:

1) Debugging Stored Processes

http://support.sas.com/rnd/itech/doc9/dev_guide/stprocess/debug.html

Author: Fulton Lee

Date: Aug. 9, 07