

# EG INSTALL GUIDE

---



**THE  
POWER  
TO KNOW®**

# EG Install Guide


※ 참고 : 해당 가이드는 EG6.1버전 가이드입니다.

Step1) 설치이미지폴더Wstandalone\_installs

Step2) Install 클릭

WSAS\_Enterprise\_Guide\_Independent\_InstallerW6\_1



→ SASEnterpriseGuide61\_x64.exe 실행



# EG Install Guide

## Step3) 다음 클릭



## Step4) 언어 선택 후 [확인]



# EG Install Guide

**Step5) 언어 지원 선택 – 모두 지우기 선택**  
– 한국어 선택 후 [다음(N)]



**Step6) .sas파일을 기본적으로 EG에서 열리도록 하고 싶다면,**  
**‘SAS Enterprise Guide’ 선택. SAS Client에서 열고 싶다면,**  
**‘SAS 파일 유형의 기존 기본 제품 사용’ 선택 후, [다음] 클릭**



# EG Install Guide



**Step7) 시스템 검사 중 - 확인 후 [다음(N)]**  
- 필수 디스크 공간과  
사용 가능한 디스크 공간 확인, 쓰기 권한 확인

**Step8) 배포 요약 확인 후 [시작]**  
- 시스템 요구사항 확인 [완료] 후  
실제 제품 설치 시작 됨



# EG Install Guide

## Step10) 설치 완료 확인



# EG Server Connect Guide

---




**THE  
POWER  
TO KNOW<sup>®</sup>**

# EG Server Connect Guide


**Step1) C:\Windows\System32\drivers\etc  
hosts 파일 메모장으로 열기**

**Step2) 연결할 SAS Server IP와 Hostname 등록**



```
# Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
#       102.54.94.97     rhino.acme.com   # source server
#       38.25.63.10    x.acme.com     # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1    localhost        kordos.apac.sas.com   kordos
#          ::1            localhost
```





```
# Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
#       102.54.94.97     rhino.acme.com   # source server
#       38.25.63.10    x.acme.com     # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1    localhost
#          ::1            localhost
172.27.64.38 koraix2
```

# EG Server Connect Guide

Step3) 메뉴바) 도구 > 옵션  
옵션의 왼쪽 메뉴바에서 관리 탭 이동

Step4) 옵션의 수정 클릭  
연결 탭에서 추가 클릭



# EG Server Connect Guide

Step5) 이름 :

연결할 컴퓨터 호스트명 입력 :

연결 포트 : 8561(설치시 Metadata Server Port)

사용자 :

암호 :

Step6) 활성화 클릭

프로파일 수정

이름(N):  
SAS Server

설명(D):

컴퓨터  
 원격(R)  로컬(L)      포트(P):  
koraix2      8561

Windows 통합 인증 사용(I)  
고급(Y)...

프로파일에 로그인 저장(S)

사용자(U):      암호(A):  
sasdemo      \*\*\*\*\*

인증 도메인(D):

저장(S)      취소

연결

프로파일 서버 업데이트

이름	컴퓨터	포트	사용자
*프로파일 사용 안 함*			
SAS Server	koraix2	8561	sasdemo


활성화(S)  
추가(A)...  
수정(M)...  
삭제(D)

도움말(F1)...  
닫기

# EG Server Connect Guide

## Step7) 연결 확인

연결된 유저명과 서버명으로 나옴





[www.sas.com](http://www.sas.com)